

Message

From: Nord, Mari [nord.mari@epa.gov]
Sent: 4/26/2018 9:03:28 PM
To: Burdett, Cheryl [burdett.cheryl@epa.gov]
Subject: RE: QAPP for CSD Geoprobe Sampling Investigation

K – next time.

From: Burdett, Cheryl
Sent: Thursday, April 26, 2018 3:40 PM
To: Nord, Mari <nord.mari@epa.gov>
Subject: RE: QAPP for CSD Geoprobe Sampling Investigation

Don't' worry, I am calling it off. I cannot make it work this late in the game. But thank you for trying to help me.

Cheryl

From: Nord, Mari
Sent: Thursday, April 26, 2018 3:38 PM
To: Burdett, Cheryl <burdett.cheryl@epa.gov>
Subject: RE: QAPP for CSD Geoprobe Sampling Investigation

Less likely only because it looks like a smaller tube would need to be used. You would need to find an adaptor I think but not positive

From: Burdett, Cheryl
Sent: Thursday, April 26, 2018 3:37 PM
To: Nord, Mari <nord.mari@epa.gov>
Subject: RE: QAPP for CSD Geoprobe Sampling Investigation

Yes, just making sure the pump can hook up to that time filter.

Cheryl

From: Nord, Mari
Sent: Thursday, April 26, 2018 3:35 PM
To: Burdett, Cheryl <burdett.cheryl@epa.gov>
Subject: RE: QAPP for CSD Geoprobe Sampling Investigation

I thought you need the pump not the filter

From: Burdett, Cheryl
Sent: Thursday, April 26, 2018 3:32 PM
To: Nord, Mari <nord.mari@epa.gov>
Subject: FW: QAPP for CSD Geoprobe Sampling Investigation

In the attached link is what we need do you recall if that is what yours looks like (0.45)?

Cheryl Burdett

From: Thompson, Robert A.
Sent: Thursday, April 26, 2018 2:32 PM
To: Burdett, Cheryl <burdett.cheryl@epa.gov>
Subject: RE: QAPP for CSD Geoprobe Sampling Investigation

These are the ones that require peristaltic pumps:

<http://www.waterra.com/pages/filters/filters.html>

<http://www.envisupply.com/equipment/in-line-filter-sales.htm>



Robert Thompson
Chemist | Sample Coordinator
U.S.EPA R5 Chicago Regional Laboratory
536 S. Clark St. ML-10C | Chicago, IL 60605
(312) 353-9078 (Direct) | (312) 353-9096 (Fax)



Think Green - Not every email needs to be printed

From: Burdett, Cheryl
Sent: Tuesday, April 24, 2018 2:23 PM
To: Daisy Wang <daisy.wang@erg.com>; Sena, Lorenzo <Sena.Lorenzo@epa.gov>; Maraldo, Dean <Maraldo.Dean@epa.gov>; Regehr, James <Regehr.James@epa.gov>; Rogers, Joan <rogers.joan@epa.gov>; Bahr, Ryan <bahr.ryan@epa.gov>; Thompson, Robert A. <Thompson.Robert@epa.gov>; Atkinson, Benjamin <atkinson.ben@epa.gov>; Schwer, Don <Schwer.Don@epa.gov>; Wilson, Jennifer <wilson.jenniferA@epa.gov>; Hodaj, Andi <hodaj.andi@epa.gov>
Cc: Kuefler, Patrick <kuefler.patrick@epa.gov>
Subject: QAPP for CSD Geoprobe Sampling Investigation

Hi Geoprobe Sampling Team:

Please review the QAPP I have attached and provide comments. Please ask questions if there is anything confusing within the QAPP.

Sincerely,

Cheryl Burdett